Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued

Reports Received from December 31, 1910, to January 20, 1911

Place	Date	Cases	Deaths	Remarks
Washington:				
Skagit County	Nov. 1-30	40		
Spokane County	Nov. 1-30	1		
Total for State		41		
Wisconsin:				
Chippewa County	Dec. 1-31	3		
Dunn County	Dec. 1-31	4		
Iowa County	Dec. 1-31	22		
Jefferson County	Dec. 1-31	6		
Lafayette County	Dec. 1-31	5		
La Crosse County	Dec. 1-31	1		
Milwaukee County	Dec. 1-31	5		
Oneida County	Dec. 1-31	1		
St. Croix County	Dec. 1-31	1		
Vilas County	Dec. 1-31	1		
Washington County	Dec. 1-31	1		
Total for State		50		
Grand total for the United States		1,085	8	

MORBIDITY AND MORTALITY

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES FOR WEEK ENDED JANUARY 7, 1911

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Cities having over 500,000 inhabitants.														
Baltimore, Md	558,485	225	32	1	69	....	18	2	....	....	17	28	15	4
Boston, Mass	670,585	227	62	4	52	....	32	1	....	....	78	26	5	....
Chicago, Ill	2,185,283	776	177	16	90	2	187	13	3	....	116	83	24	5
Cleveland, Ohio	560,663	148	22	....	6	....	47	3	....	....	16	12	3	3
New York, N. Y	4,766,883	1,697	249	29	298	5	420	14	....	....	538	198	27	6
Philadelphia, Pa	1,549,008	520	65	8	189	13	38	4	1	....	83	62	17	....
Pittsburg, Pa	533,905	184	9	4	10	1	18	6	....	....	30	15	19	4
St. Louis, Mo	687,029	275	33	2	223	2	63	2	2	....	43	22	9	3
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y	423,715	126	27	....	2	....	40	2	....	....	....	8	5	....
Cincinnati, Ohio	364,463	140	13	....	14	1	42	2	1	....	32	18	2	....
Detroit, Mich	465,766	155	31	2	....	....	21	....	....	....	....	....	3	....
Los Angeles, Cal	319,198	105	19	1	4	....	16	1	1	....	6	14	3	1
Milwaukee. Wis	373,857	79	28	2	4	....	45	1	....	....	23	10	3	....
Newark, N. J	347,469	125	29	2	....	....	23	....	....	....	16	18	3	....
New Orleans, La	339,075	134	8	1	29	....	12	....	9	....	20	10	4	2
San Francisco, Cal	416,912	114	11	....	11	....	18	....	....	....	26	....	5	....
Washington, D. C	331,069	129	6	....	8	1	4	....	....	....	16	12	8	3
Cities having from 200,000 to 300,000 inhabitants														
Jersey City, N. J	267,779	82	10	1	56	1	6	....	....	....	3	10	....	....
Providence, R. I	224,326	73	8	1	....	....	7	....	....	....	7	11	....	....
Seattle, Wash	237,194	25	5	....	98	....	2	....	4	....	1	....	1	....
Cities having from 100,000 to 200,000 inhabitants														
Bridgeport, Conn	102,054	45	2	1	1	....	....	....	....	....	3	....	....	....
Cambridge, Mass	104,839	26	9	....	24	1	5	....	....	....	6	8	1	....
Columbus, Ohio	181,548	63	4	....	....	....	....	....	....	....	11	7	....	1

MORBIDITY AND MORTALITY—Continued

Morbidity and mortality table, cities of the United States, for week ended January 7, 1911—Continued

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Cities having from 100,000 to 200,000 inhabitants—Continued														
Dayton, Ohio	116,577	30	1				2				1	2		
Fall River, Mass	119,295	49	4	1							5	5	1	
Grand Rapids, Mich	112,571	34	3	1	215		5					3	4	
Lowell, Mass	106,294	43	5		2		4				2	1	1	
Nashville, Tenn	110,364	49	2		50		4				1	7	1	
Oakland, Cal	150,174	37	2				1				2	2	1	
Spokane, Wash	104,402	28	9	1	7		5							1
Toledo, Ohio	168,497	46	8	2	2		7	1			1	5	1	
Worcester, Mass	145,986	45	14	1	1	1	9	1			8	5	1	
Cities having from 50,000 to 100,000 inhabitants														
Altoona, Pa	52,127	15	3				1							
Bayonne, N. J	55,545		3		1		2							
Brockton, Mass	56,878	7			24	1	2	1				1		
Camden, N. J	94,538		5	2	64		2	2			1		2	
Canton, Ohio	50,217	13										2		
Covington, Ky	53,270	9												
Duluth, Minn	78,466	21	1		1		3		2		2	3	2	
Elizabeth, N. J	73,409	39	4				4	1				3		
Erie, Pa	66,525	22	1				15				11	3	34	1
Evansville, Ind	69,647	9					1					2	1	
Hartford, Conn	98,915	27	6				11				1	1	1	
Hoboken, N. J	70,324		3		3						1			
Houston, Tex	78,800	35	2						1			7		
Jacksonville, Fla	57,699	30			23		11				1	2		
Johnstown, Pa	55,482	14	2				3				8	1		
Kansas City, Kans	82,331	40	5				5		1		2	1		
Lawrence, Mass	85,892	30	6	2	4		3				2	2		
Lynn, Mass	89,336	28	3		46		7				1	2		
Manchester, N. H	70,063	36	2				1				3	3	3	
New Bedford, Mass	96,652						5				3	4	1	
Reading, Pa	96,071	22	2	1	14		7	1			1	3	1	
Salt Lake City, Utah	92,777													
San Antonio, Tex	96,614	4	2				1					4	1	
Schenectady, N. Y	72,826	21	1								4	2	2	1
Somerville, Mass	77,236	25	1		3		3						1	
South Bend, Ind	53,684	17			3		2							
Springfield, Mass	88,926	29	2		5		1				4	3	1	
Tacoma, Wash	83,743	25	6	1			4	1					1	1
Terre Haute, Ind	58,157	18	1		4		2					2		1
Trenton, N. J	96,815	4	4	1			5				2	3	1	
Wichita, Kans	52 450	16	2		1		6							
Wilkes-Barre, Pa	67 105	20	6			1	4				12	4	1	
Wilmington, Del	87,411	28										2		
Yonkers, N. Y	79,803	17	3				12					1		
Cities having from 25,000 to 50,000 inhabitants														
Auburn, N. Y	34,668	12	3	1	5		1							
Aurora, Ill	29,807	9	1				1							
Berkely, Cal	40,434	5					1							
Binghamton, N. Y	48,443	14	4		21								1	2
Charlotte, N. C	34,014	5			1		3		1				1	
Chattanooga, Tenn	44,604		1				2		2		2			
Chelsea, Mass	32,452	11	1		2		6							
Chicopee, Mass	25,401	14	1									2	5	
Council Bluffs, Iowa	29,292	17					4					1	3	
Danville, Ill	27,871	6	2				2				1	1		
Dubuque, Iowa	38,494						3							
Elmira, N. Y	37,176	8	1				2				9			1
El Paso, Tex	39,279	27	8	1			1		2		15	4		
Everett, Mass	33,484	4	1				1				4	1		
Frankfort, Ind	26,672	6			1		2							
Haverhill, Mass	44,115	8	5		2		4				2			
Kalamazoo, Mich	9,437	8			52		5				2	2		

MORBIDITY AND MORTALITY—Continued

Morbidity and mortality table, cities of the United States, for week ended January 7, 1911—Continued

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Cities having from 25,000 to 50,000 inhabitants—Con.														
Kingston, N. Y	25,908													
Knoxville, Tenn	36,346	12	1		47							2		
La Crosse, Wis	30,417	10	1		3				1					
Lancaster, Pa	47,227	14	2	1	1		6					1		
Lexington, Ky	35,099	20	1		1		1				13	4		
Lynchburg, Va	29,494		1				2						1	
Malden, Mass	44,404	9			1		6							
Montgomery, Ala	38,136													
Mount Vernon, N. Y	30,919	5	1		2		3	1						
Newport, Ky	30,309	12					3							
Newton, Mass	39,806	12	2	1	19		7				3			
Niagara Falls, N. Y	30,445		2		1							1	2	
Norristown, Pa	27,875	9	1				2				1			
Orange, N. J	29,630	16	2		4		4				2	3	1	
Pittsfield Mass	32,121													
Portsmouth, Va	33,190	13						1						
Roanoke, Va	34,874	7	2	1			6				1		1	
Sacramento, Cal	44,696	20	1		1		1				1	1		
Superior, Wis	40,384	9	2				1					3		
Taunton, Mass	34,259	22	2	1			2				2	3		
Topeka, Kans	43,684	0			1		1		1		1			
Waltham, Mass	27,834	13	2		3		1				3			1
Wheeling, W. Va	41,641	10	4				1				3		10	1
Williamsport, Pa	31,860	15			1			1				1		
York, Pa	44,750		5				4						2	
Cities having less than 25,000 inhabitants														
Ann Arbor, Mich	14,817	3	1				7				2			
Ashtabula, Ohio	18,266													
Beaver Falls, Pa	12,191													
Bedford, Ind														
Bennington, Vt														
Biddeford, Me	17,079	7										1	1	
Braddock, Pa	19,357	7	3		2		1				1	2	1	
Butler, Pa	20,728	7	2									1		
Cambridge, Ohio	11,327	2	1				1						1	
Camden, S. C														
Carbondale, Pa	17,040	4												
Clinton, Ind														
Clinton, Mass	13,075	5	1								1			
Coffeyville, Kans	12,687	5									1		1	
Columbus, Ga	20,554	5												
Columbus, Ind		3					1							
Concord, N. H	21,497	6	5	1									1	
Covington, Ohio														
Cumberland, Md	21,839	16										1	12	1
Dunkirk, N. Y		7	5	1	1		4	1						
Elyria, Ohio	14,825	2					5							
Freeport, Ill	17,567	9	2						1					
Galesburg, Ill	22,089	6	1				3							
Gloucester, Mass	24,398	4										1		
Greensboro, N. C	15,895	7					1					1	1	
Harrison, N. J	14,498		2				1							
Hyde Park, Mass	15,507	3			5								1	
Kearney, Nebr														
Kearny, N. J	18,659	6	1		11						2		1	
Kokomo, Ind	17,010													
La Fayette, Ind	20,081	7	1	1			2							
Lebanon, Pa	19,240	5	1										1	
Madison, Ind														
Manistee, Mich	12,381	0					1							
Manitowoc, Wis	13,027	4												
Marinette, Wis	14,610	2									1	1		
Marlboro, Mass	14,579	5												
Massillon, Ohio	13,879	5												
Medford Mass	23,150	3	1				3				3			
Melrose Mass	15,715	3	1				1							

MORBIDITY AND MORTALITY—Continued

Morbidity and mortality table, cities of the United States, for week ended January 7, 1911—Continued

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Cities having less than 25,000 inhabitants—Con.														
Moline, Ill	24,199	6	4	1	9		1				1		4	
Montclair, N. J	21,550	6					1				1	1		
Morristown, N. J	12,507	9	2								1			
Nanticoke, Pa	18,877	6	2											
Newburyport, Mass	14,949	9	1		3						1			
North Adams, Mass	22,019	9			4									
Northampton, Mass	19,431	9												
Ottumwa, Iowa	22,012	10												
Paducah, Ky	22,700													
Palmer, Mass		4	1											
Peekskill, N. Y		4					1							
Plainfield, N. J	20,550	3	1				1				2		1	
Portsmouth, N. H	11,269		1											
Pottstown, Pa	15,599	3			1		2							
Rock Island, Ill		7	2	1							1	1		
Rutland, Vt	13,546	9											1	
Saratoga Springs, N. Y		4	4											
South Bethlehem, Pa	19,973	9									2	1	3	
Steelton, Pa	14,246	10	1				1				3		1	
Warren, Ohio	11,081													
Wilkinsburg, Pa	18,924	3											1	
Woburn, Mass	15,308	4												
Zanesville, Ohio		9			9							1	6	2

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)

FLORIDA.—Week ended January 7, 1911. Reports from the State board of health show typhoid fever present in 1 locality (Tampa) with 1 case, smallpox in 5 counties (Alachua, Duval, Escambia, Hillsboro, Leon) with 25 cases (1 death), diphtheria in 2 localities with 2 cases, malaria in 4 localities (Tampa, Plant City, Jacksonville, Gainesville) with 13 cases, tuberculosis in 7 localities with 14 cases.

Pensacola.—Month of December, 1910. Population, 30,000. Total number of deaths from all causes 48, including tuberculosis 1.

ILLINOIS—*Alton.*—Month of December, 1910. Population, 17,528. Total number of deaths from all causes 16, including tuberculosis 2. Cases reported: Smallpox 2, scarlet fever 1, diphtheria 7.

Quincy.—Month of December, 1910. Population, 36,587. Total number of deaths from all causes 66, including typhoid fever 1, diphtheria 1, tuberculosis 4. Cases reported: Typhoid fever 2, smallpox 7, measles 3, scarlet fever 6, diphtheria 4.

IOWA—*Cedar Rapids.*—Month of December, 1910. Population, 33,817. Total number of deaths from all causes 34, including typhoid fever 3. Cases reported: Smallpox 17, scarlet fever 1, diphtheria 10.